

Transforming IoT with mmWave: A Study

Ayesha Khalil Mulani¹, Kazi Kutubuddin Sayyad Liyakat^{2,*}

Abstract

As it connects billions of devices and changes sectors, the Internet of Things (IoT) is developing quickly. But the limits of conventional wireless communication technology are being pushed by this expansion. Presenting millimeter wave (mmWave), a high-frequency band that promises to transform IoT communication by providing noticeably more capacity and reduced latency. Even while mmWave is still in its infancy, it has the potential to be a key component of the IoT ecosystems of the future. The frequency range between 30 GHz and 300 GHz is referred to as millimeter waves. mmWave frequencies provide a far wider range than the lower frequencies utilized in cellular networks and Wi-Fi. Because of its enormous capacity, applications that need high-throughput and real-time communication can transmit data at much faster speeds. To support the vast number of connected devices and their data-intensive applications, the IoT is growing quickly and requiring ever-increasing bandwidth. Although conventional sub-6 GHz frequencies have proven useful, millimeter wave (mmWave) technology has gained attention due to the need for higher data speeds and reduced latency. With the potential for multi-gigabit speeds and extensive spectrum resources, mmWave operates in the 30 GHz to 300 GHz range. Nevertheless, there are design difficulties when mmWave is used in IoT. The main procedures for overcoming these obstacles and utilizing mmWave's potential for improved IoT connectivity are examined in this article.

Keywords: mmWave, bandwidth, Internet of Things, spectrum, millimeter wave, high-frequency, IoT

INTRODUCTION

Our world is changing quickly due to the Internet of Things (IoT), which connects gadgets of all types and creates a huge amount of data. But conventional wireless communication technologies are running out of room as the number of linked devices keeps growing. Millimeter wave (mmWave) technology, which promises to unleash the full potential of the IoT, comes into play here [1].

The range of the radio frequency spectrum between 30 and 300 gigahertz (GHz) is known as the mmWave. mmWave operates at substantially higher frequencies than Wi-Fi and cellular networks, which allows for much higher bandwidth and a much larger capacity for data transfer. Imagine it as the transition from a two-lane, modest road to a multilane freeway. mmWave offers significant advantages for the IoT [2, 3].

*Author for Correspondence

Kazi Kutubuddin Sayyad Liyakat
E-mail: drkkazi@gmail.com

¹Student, Department of E&TC Engineering, BMIT, Solapur, Maharashtra, India

²Professor & Head, Department of E&TC Engineering, BMIT, Solapur, Maharashtra, India

Received Date: August 11, 2025

Accepted Date: August 19, 2025

Published Date: December 31, 2025

Citation: Ayesha Khalil Mulani, Kazi Kutubuddin Sayyad Liyakat. Transforming IoT with mmWave: A Study. International Journal of Microwave Engineering and Technology. 2025; 11(2): 10–18p.

for the IoT [2, 3].

- **High Bandwidth:** The most notable benefit is the significantly larger bandwidth. Applications, like high-resolution video streaming, real-time data analytics, and intricate sensor networks, that gather vast volumes of data depend on the ability to transmit massive amounts of data quickly.
- **Low Latency:** The high frequencies of mmWave also help to reduce latency, which means that data is sent with little delay. This is crucial for time-sensitive applications where even a single second can have a significant impact such as remote surgery, industrial automation, and driverless cars.

- *Greater Capacity:* Compared to conventional wireless technologies, mmWave can accommodate a significantly larger density of linked devices. Because of this, it is perfect for settings with a high population density, such as smart cities, industries, and stadiums, where many devices must interact at once without causing network congestion.
- *Reduced Interference:* The higher frequencies employed by mmWave are less prone to interference from other wireless signals, resulting in more dependable and stable data transfer.
- *Increased Security:* By making it more difficult to intercept data transmissions, the concentrated nature of mmWave signals can increase security.

APPLICATIONS OF mmWAVE'S INFLUENCE ON THE IoT INCLUDE

- *Smart Cities:* The dense sensor networks needed for public safety, traffic control, environmental monitoring, and smart street lighting can be supported by mmWave.
- *Industrial IoT (IIoT):* mmWave makes it possible to monitor and control industrial equipment in real-time, which promotes automation, predictive maintenance, and increased manufacturing process efficiency.
- *Connected Vehicles:* mmWave is vital for vehicle-to-vehicle (V2V) and vehicle-to-infrastructure (V2I) communication, providing the high bandwidth and low latency necessary for autonomous driving and advanced driver-assistance systems (ADAS).
- *Healthcare:* mmWave has the potential to transform healthcare delivery by enabling wearable medical devices, high-resolution medical imaging, and remote patient monitoring.
- *Augmented and Virtual Reality (AR/VR):* For a flawless AR/VR experience, high-bandwidth connectivity is necessary. mmWave can provide the low latency and speed required for immersive applications.
- *Smart Retail:* With real-time inventory management, smart shelves, and customer tracking, mmWave can enable interactive and customized shopping experiences.

Even with Its Potential, mmWave Technology Has Certain Drawbacks

- *Limited Range:* Compared to lower frequencies, mmWave signals have a shorter range and are more prone to atmospheric absorption. Multiple access points and a denser network infrastructure are needed for this.
- *Problems with Obstruction:* Trees and structures can readily block mmWave transmissions. This calls for meticulous preparation and thoughtful antenna positioning.
- *Cost:* Because mmWave infrastructure requires specialized technology and a denser network, its deployment may be more costly than that of conventional technologies.
- *Power Consumption:* Research into creating energy-efficient gadgets that can function at high mmWave frequencies is ongoing.

Despite these obstacles, mmWave has a bright future in the IoT. These problems are being addressed by ongoing research and technical developments, which will result in mmWave solutions that are more economical and effective. As 5G networks expand and the demand for data continues to rise, we are witnessing a convergence of technologies. As mmWave technology develops, it will become increasingly important in achieving the IoTs' full promise and making the world more intelligent, connected, and efficient [4, 5].

MmWave technology is a paradigm leap in wireless communication, not just a next-generation improvement. Its enormous capacity, low latency, and bandwidth are expected to transform the IoTs and open the door to a more intelligent and connected future. We may anticipate that mmWave will become a crucial component of our everyday life as the technology advances and its obstacles are removed, enabling the upcoming generation of linked experiences and gadgets [6–8].

mmWAVE IN IoT COMMUNICATION

With billions of devices connected across homes, businesses, and communities, IoT is growing quickly. Strong and dependable communication solutions are needed in this expanding ecosystem.

Although Wi-Fi and Bluetooth have proven to be effective, their limitations are being pushed by the increasing amount of data and the requirement for more bandwidth. An intriguing candidate that has the potential to completely transform IoT connection is mmWave technology [9–11].

mmWave has special characteristics since it runs at far higher frequencies than the lower frequencies used by cellular networks and Wi-Fi. This comprises:

- *Greater Bandwidth:* Because mmWave provides so much spectrum, very rapid data rates are possible. For IoTs applications that need to broadcast HD video, transmit sensor data in real time, and do other bandwidth-intensive operations, this is essential.
- *Reduced Latency:* mmWave's higher frequencies and broader channels result in reduced latency, which is crucial for applications, like industrial automation and driverless cars, that require quick reaction times.
- *Shorter Range:* mmWave signals have a shorter range than lower frequencies because of increased atmospheric attenuation. However, this restriction may be useful for building localized, dense networks, lowering interference, and enhancing security in congested areas.

mmWave Has Significant Potential for the Internet of Things

- *Industrial IoT (IIoT):* mmWave can allow wireless management of machinery with high bandwidth and low latency in factories and industrial settings, enabling completely automated processes, predictive maintenance, and real-time monitoring. This can increase worker safety, decrease downtime, and boost efficiency.
- *Smart Cities:* mmWave can support applications including sophisticated public safety systems, high-speed public Wi-Fi, and intelligent traffic management, hence enabling smart city efforts. Huge data streams from multiple sensors and devices may be handled thanks to the high capacity.
- *Healthcare:* mmWave's high data rates and low latency are advantageous for telemedicine, enhanced medical imaging, and remote patient monitoring. It has the potential to transform healthcare delivery by facilitating quicker and more precise diagnosis and treatment.
- *Smart Homes & Buildings:* mmWave can facilitate fast communication for smart devices inside a house, allowing for augmented reality experiences, dependable smart home automation, and smooth HD video streaming. Smart sensors and control systems can also improve building automation.
- *Agriculture:* mmWave's capacity to send massive volumes of data from numerous sources with minimal latency might be extremely advantageous for precision agriculture applications including automated irrigation systems, drone-based monitoring, and soil analysis [12–14].

Notwithstanding These Difficulties, There Are a Tonne of Opportunities

- *Advanced Beamforming and Tracking:* More dependable mmWave communication in challenging situations is now possible because of the development of complicated beamforming and beam tracking systems.
- *Integration with Current Infrastructure:* By combining mmWave with current low-frequency networks, hybrid networks that are more robust and efficient can be produced.
- *Chipset Advancements:* As mmWave technology develops and chipsets become more reasonably priced, the price of mmWave hardware is expected to drop.

The development of the Internet of Things (IoT) is expected to be significantly influenced by mmWaves. It is incredibly well-suited for the increasingly complicated requirements of contemporary IoT applications due to its high bandwidth, low latency, and capacity to accommodate a large density of devices. It is anticipated that mmWave will play a crucial role in our globalized society as technology develops further, opening revolutionary applications that will change entire sectors and improve our day-to-day existence. Even if there are still obstacles to overcome, the industry is enthusiastically investigating and funding mmWave because it sees promise in opening a new era of IoT connectivity [15, 16].

In conclusion, mmWave technology presents a potent substitute for current IoT communication systems. Numerous industries could undergo a transformation thanks to their high bandwidth and low latency characteristics. Even if there are still challenges to be solved, the continued study and advancement in this area indicate that mmWave has a promising future in the IoT.

INFLUENCE OF mmWAVE IN IoT SOLICITATIONS

Our world is changing quickly because of the IoTs, which connects everything from industrial sensors to driverless cars and smart home appliances. However, current wireless communication networks are under increasing strain due to the sheer volume of data produced by these linked devices. To access the next level of IoT possibilities, millimeter-wave (mmWave) technology comes into play. Many IoT applications as shown in Figure 1 are being significantly impacted by the benefits of mmWave.

- *Smart Cities*: mmWave is essential for enabling the data-intensive applications found in smart cities, such as:
 - *Advanced Traffic Management*: This includes autonomous vehicle communication, adaptive traffic light control, and real-time traffic monitoring.
 - *Environmental Monitoring*: Accurate pollution tracking and efficient resource management are made possible by the high-resolution data collected from environmental sensors.
 - *Public safety*: improved emergency response and video surveillance systems.
 - *Industrial IoT (IIoT)*: mmWave is revolutionizing industrial operations by facilitating:
 - *Real-time Machine Monitoring*: Predictive maintenance and downtime reduction are made possible by high-fidelity sensor data from factory equipment.
 - *Automation and Robots*: On factory floors, automated systems and robots are controlled by quick and dependable communication.
 - *Wireless Industrial Networks*: These networks offer fast connectivity to enable the smooth integration of different industrial equipment.




Figure 1. Solicitations of mmWave in IoT.

- *Smart Healthcare*: The following are made possible in the healthcare sector by mmWave: High-bandwidth data transmission of imaging and medical vitals for remote patient care is known as remote patient monitoring.
- *Advanced Medical Imaging*: More thorough and quick scans for better diagnosis.
- *Robotic Surgery*: Accurate control of intricate surgical procedures through low-latency communication [17].
- *Smart Buildings and Homes*: mmWave is enhancing smart environments' user experience.
- *Smooth Streaming*: 4K/8K video and other high-bandwidth content can be streamed wirelessly at fast speeds.
- *Enhanced Device Control*: Low-latency management of home automation systems and smart appliances.
- *Advanced Security Systems*: Security cameras can transmit video more quickly and reliably.

In addition to being a promising advancement in current wireless communication, mmWave technology represents a fundamental change that has the potential to completely transform the IoT. The next generation of IoT applications will be powered by mmWave's unparalleled bandwidth, low latency, and decreased congestion, allowing smarter homes, businesses, healthcare systems, and cities. The potential advantages of mmWave are so great that its universal adoption is all but certain, even though there are still implementation challenges. This will help shape our future into a more connected and data-driven world [18].

mmWAVE CARRIES HIGH-SPEED CONNECTIVITY TO IoT

The IoT is growing rapidly, linking everything from industrial sensors to smart thermostats. However, the need for quicker and more dependable communication increases along with the number of devices. Despite becoming commonplace, Wi-Fi and Bluetooth frequently suffer from congestion and bandwidth restrictions, particularly in crowded areas. Previously limited to mobile networks, millimeter-wave (mmWave) technology has the potential to completely transform IoT connection for all users.

Why is mmWave relevant to the IoT, and what is it?

The significantly higher frequency bands between 30 GHz and 300 GHz are used by mmWave, in contrast to conventional wireless technologies that function on lower frequencies. This offers several significant benefits:

- *Massive Bandwidth:* Think gigabits per second. The higher frequencies enable far larger bandwidth, which enables much quicker data transfer rates. For IoT devices that must manage massive amounts of sensor data, compute complicated data in real-time, or transmit high-resolution video, this is essential.
- *Less Congestion:* Wi-Fi, Bluetooth, and even cellular networks employ the lower frequencies, which are more crowded than the higher frequency bands. A more reliable connection and fewer interference results from this.
- *Low Latency:* mmWave has extremely low latency, which makes it perfect for real-time applications such as robotic control, driverless cars, and augmented reality.

Initially restricted to costly and sophisticated infrastructure, mmWave is now more widely available to a wider variety of users, including IoT developers and enthusiasts, because of developments in chip technology and the growing need for fast connectivity.

- *Affordably priced hardware:* Transceivers and antenna arrays, two mmWave components, are becoming ever less expensive. Smaller, more integrated mmWave modules are beginning to become available, opening the door for integration into more affordable and compact IoT devices.
- *Simplified Integration:* By creating modules with pre-designed circuits and software libraries, manufacturers are making it easier to integrate mmWave into already-existing IoT systems. Because of this, developers who might not have a lot of RF engineering background can use it much more easily.
- *Open Standards and Support:* Through online resources and communities, the industry is improving documentation and support while working on standardized mmWave protocols. This makes it easier for people to enter the market and gives them the freedom to explore new things and create creative applications.
- *Emerging Ecosystem:* A burgeoning network of businesses is creating mmWave-based solutions especially for IoT applications. It will be simpler to incorporate mmWave technology into a variety of applications because of the increased availability of off-the-shelf components and development kits.

Even if mmWave is not as common as Wi-Fi just yet, its potential is clear. People can investigate its potential applications in the following areas.

- *High-Resolution Video Streaming:* Picture drone feeds or live security camera footage that streams in 4K resolution without any buffering. This can be accomplished with mmWave.
- *Real-Time Data Analytics:* In industrial settings, mmWave may facilitate quicker and more frequent data flow from sensors, enabling predictive maintenance and real-time monitoring.
- *Automation and Robotics:* Take use of mmWave's high bandwidth and low latency to control automated systems and robots with more accuracy and feedback.
- *Smart Home Networking:* By using mmWave, you can build a high-capacity local network in your house that can support numerous high-bandwidth devices without experiencing any bottlenecks.
- *Advanced Wearables:* mmWave may help future wearable generations with capabilities like augmented reality, extensive sensor data processing, and high-fidelity audio streaming.

Although it takes time and effort to become proficient with mmWave technology, the following advice can get you started:

- *Examine Current Platforms:* Investigate modules and development kits that support mmWave. Resources for developers are frequently offered by manufacturers like Silicon Labs, Qualcomm, and Texas Instruments.
- *Learn the Fundamentals of Antenna Design:* Optimizing mmWave communication requires an understanding of antenna operation. Although there are pre-made antennas, understanding the basics will improve the design of your project.
- *Play with Software Tools:* Examine development tools and software libraries that make mmWave integration easier for your apps.
- *Participating in Online Communities:* Make connections with other mmWave developers and specialists to exchange ideas and gain information.
- *Start Small:* Before taking on more complicated applications, start with a straightforward proof-of-concept project to get familiarity with the technology.

mmWave technology is developing quickly and getting easier to use. Even if there are still obstacles to overcome, the potential for fast, low-latency communication is making it increased alluring for the IoTs' future. People may open the door for more potent and creative IoT applications that will influence connectivity in the future by adopting and investigating this technology. You can contribute to the steady paving of the way towards the pervasive mmWave IoT [19, 20].

DESIGN STEPS FOR mmWAVE–IoT CONNECTIVITY

The Internet of Things is growing quickly, necessitating ever-increasing bandwidth to accommodate the numerous linked devices and their data-intensive applications. Although conventional sub-6 GHz frequencies have proven useful, mmWave technology has gained attention due to the need for higher data speeds and reduced latency. With the potential for multi-gigabit speeds and extensive spectrum resources, mmWave operates in the 30 GHz to 300 GHz range. Nevertheless, there are design difficulties when mmWave is used in IoT. The main procedures for overcoming these obstacles and utilizing mmWave's potential for improved IoT connectivity are examined in this article.

Application and Use Case Analysis: Defining the Needs

Before diving into technical specifications, the crucial first step is a thorough analysis of the intended application and use case. This involves asking critical questions such as:

- *Data Rate Requirements:* How much bandwidth is needed? Will it be consistent or bursty? Consider current needs and future scalability.
- *Range and Coverage:* How far apart will devices be? Does the system need to cover a small area, like a room or a larger area like a factory floor?
- *Mobility:* Will devices be stationary or mobile? mmWave signals are susceptible to blockage and require careful planning for moving devices.

- *Environmental Conditions:* How will factors, like weather, humidity, and obstacles, impact signal propagation?
- *Power Consumption:* mmWave transceivers are generally more power-hungry. Power requirements must be optimized for battery-powered IoT devices.
- *Cost Constraints:* mmWave components can be more expensive. Analyze cost trade-offs considering performance requirements.

A clear understanding of these requirements will dictate the subsequent design choices.

Spectrum Selection and Regulatory Compliance

Choosing the appropriate mmWave frequency band is critical. Different regions have distinct spectrum allocations for license-exempt and licensed operation. Considerations include:

- *Available Spectrum Allocation:* Identifying the specific frequency bands available within the target region.
- *Licensing Requirements:* Understanding the licensing process for assigned bands, if required.
- *Interference Mitigation:* Considering potential interference from other mmWave systems and implementing techniques to mitigate it.
- *Global Compliance:* Understanding different regulations across countries if targeting a multinational market.

Meticulous adherence to regulatory requirements is essential for legal and efficient operation.

Antenna Design: Mastering Beamforming and Directionality

mmWave signals suffer from high propagation loss and susceptibility to blockage. This necessitates the use of directive antennas with beamforming capabilities to compensate for these challenges:

- *Antenna Array Design:* Implementing phased array antennas to create directional beams that can be steered electronically. This is critical for adapting to changes in the environment and device movement.
- *Gain and Beamwidth:* Optimizing antenna gain to achieve the required range and minimizing beamwidth for focused signal transmission.
- *Polarization:* Choosing appropriate polarization for efficient signal propagation and minimizing signal loss.
- *Integration:* Integrating the antennas into the IoT device while considering size, weight, and cost constraints.

Advanced antenna design is paramount to achieving reliable mmWave communication.

Transceiver Design: Balancing Performance and Power

The mmWave transceiver is the heart of the system, responsible for signal generation, reception, and processing. Key considerations include.

- *Radio Frequency (RF) Front-End:* Designing low-noise amplifiers (LNAs), mixers, and other RF components suitable for the high frequencies.
- *Analog-to-Digital Converters (ADCs) and Digital-to-Analog Converters (DACs):* Ensuring high-performance ADCs and DACs are used to accurately process the wideband mmWave signals.
- *Modulation and Coding:* Selection of modulation schemes (e.g., OFDM) and coding techniques to optimize data rate and robustness.
- *Power Management:* Optimizing power consumption of the transceiver to extend battery life in IoT devices.
- *Integration:* Integrating the transceiver components into a compact and cost-effective unit.
- Efficient transceiver design is crucial for achieving the desired performance and energy efficiency.

Signal Processing and Protocol Implementation

Processing the mmWave signals and implementing communication protocols is essential for reliable data transfer.

- *Digital Beamforming*: Performing digital signal processing to control beam direction and achieve optimal signal reception.
- *Channel Estimation and Equalization*: Compensating for channel impairments and ensuring reliable data transmission.
- *Medium Access Control (MAC) Protocols*: Selecting appropriate protocols for managing access to the shared channel among multiple devices.
- *Security*: Implementing security mechanisms, such as encryption, to protect data and prevent unauthorized access.
- *Software Defined Radio (SDR) Capabilities*: Considering the use of SDRs to provide flexibility in implementing and upgrading protocols.

Robust signal processing and protocol design ensure reliable and secure communication.

System Integration and Testing

Finally, the separate components must be integrated into a cohesive system and thoroughly tested:

- *Hardware Integration*: Integrating the mmWave components with other IoT hardware.
- *Software Integration*: Integrating the software for signal processing, protocol management, and application logic.
- *Performance Testing*: Thoroughly testing the system in various scenarios and environmental conditions to ensure it meets the requirements.
- *Interoperability Testing*: Testing interoperability with other standards and devices.

Rigorous testing is essential to ensure the reliability and proper functioning of the integrated system.

CONCLUSIONS

mmWave technology has revolutionary potential for high-bandwidth applications when used in IoT connectivity. However, success requires that every design phase be carefully considered. Developers can fully realize mmWave's potential for producing inventive and potent IoT solutions by methodically tackling the difficulties, streamlining every phase from application study to system testing, and giving cost and performance priority. mmWave technology's incorporation into the IoT landscape will surely open the door to smarter, more connected, and data-rich settings as it develops and becomes more affordable. mmWave technology has revolutionary potential for high-bandwidth applications when used in IoT connectivity. However, success requires that every design phase be carefully considered. Developers can fully realize mmWave's potential for producing inventive and potent IoT solutions by methodically tackling the difficulties, streamlining every phase from application study to system testing, and giving cost and performance priority. mmWave technology's incorporation into the IoT landscape will surely open the door to smarter, more connected, and data-rich settings as it develops and becomes more affordable.

REFERENCES

1. Sayyad Liyakat KK. Microwave communication in the Internet of Things: A study. *J RF Microw Commun Technol.* 2024;38–49.
2. Liyakat KKS. Machine learning approach using artificial neural networks to detect malicious nodes in IoT networks. In: Udgate SK, Sethi S, Gao XZ, editors. *Intelligent Systems. ICMIB 2023. Lect Notes Netw Syst.* Singapore: Springer; 2024. p. 728.
3. Pradeepa M, Jamberi K, Sajith S, Bai MR, Prakash A. Student health detection using a machine learning approach and IoT. In: *2022 IEEE 2nd Mysore Sub Section Int Conf (MysuruCon).* IEEE; 2022. p. 1–5.
4. Liyakat KKS. Detecting malicious nodes in IoT networks using machine learning and artificial neural networks. In: *2023 Int Conf Emerging Smart Comput Informat (ESCI).* Pune, India; 2023. p. 1–5.

5. Kasat K, Shaikh N, Rayabharapu VK, Nayak M. Implementation and recognition of waste management system with mobility solution in smart cities using Internet of Things. In: 2023 2nd Int Conf Augmented Intell Sustain Syst (ICAISS). Trichy, India; 2023. p. 1661–5.
6. Kazi K. AI-driven IoT (AIoT) in healthcare monitoring. In: Nguyen T, Vo N, editors. Using Traditional Design Methods to Enhance AI-Driven Decision Making. IGI Global; 2024. p. 77–101.
7. Khadake S, Kawade S, Moholkar S, Pawar M. A review of 6G technologies and its advantages over 5G technology. In: Pawar PM, et al., editors. Techno-societal 2022. ICATSA 2022. Cham: Springer; 2024.
8. Patil VJ, Khadake SB, Tamboli DA, Mallad HM, Takpere SM, Sawant VA. Review of AI in power electronics and drive systems. In: 2024 3rd Int Conf Power Electron IoT Appl Renew Energy Control (PARC). Mathura, India; 2024. p. 94–9.
9. Kazi K. Modelling and simulation of electric vehicle for performance analysis: BEV and HEV electrical vehicle implementation using Simulink for e-mobility ecosystems. In: L D, Nagpal N, Kassarwani N, Varthanan GV, Siano P, editors. E-Mobility in Electrical Energy Systems for Sustainability. IGI Global; 2024. p. 295–320.
10. Kazi KS. Computer-aided diagnosis in ophthalmology: A technical review of deep learning applications. In: Garcia M, de Almeida R, editors. Transformative Approaches to Patient Literacy and Healthcare Innovation. IGI Global; 2024. p. 112–35.
11. Magadum PK. Machine learning for predicting wind turbine output power in wind energy conversion systems. *Grenze Int J Eng Technol*. 2024;10(1):2074–80.
12. Nerkar PM, Dhaware BU. Predictive data analytics framework based on heart healthcare system (HHS) using machine learning. *J Adv Zool*. 2023;44(Special Issue 2):3673–86.
13. Neeraja P, Kumar RG, Kumar MS, Liyakat KKS, Vani MS. DL-based somnolence detection for improved driver safety and alertness monitoring. In: 2024 IEEE Int Conf Comput Power Commun Technol (IC2PCT). Greater Noida, India; 2024. p. 589–94.
14. Khadake SB, Padavale PV, Dhare PM, Lingade BM. Automatic hand dispenser and temperature scanner for COVID-19 prevention. *Int J Adv Res Sci Commun Technol*. 2021;3(2):362–7.
15. Patil VJ, Khadake SB, Tamboli DA, Mallad HM, Takpere SM, Sawant VA. A comprehensive analysis of artificial intelligence integration in electrical engineering. In: 2024 5th Int Conf Mobile Comput Sustain Informat (ICMCSI). Lalitpur, Nepal; 2024. p. 484–91.
16. Khadake SB, Dolli SP, Rathod KS, Waghmare OP, Deshpande AV. An overview of intelligent traffic control system using PLC and use of current data of vehicle travels. *JNX*. 2021:1–4.
17. Rajendra Prasad K, Karanam SR. AI in public–private partnership for IT infrastructure development. *J High Technol Manag Res*. 2024;35(1):100496.
18. Mulani AO, Bang AV, Birajadar GB, Deshmukh AB, Jadhav HM. IoT-based air, water, and soil monitoring system for pomegranate farming. *Ann Agric Biol Res*. 2024;29(2):71–6.
19. Magar SS, Sugandhi AS, Pawar SH, Khadake SB, Mallad HM. Harnessing wind vibration: A novel approach towards electric energy generation – Review. *Int J Adv Res Sci Commun Technol*. 2024;4(2):73–82.
20. Khadake SB, Patil VJ, Mallad HM, Gopnarayan BB, Patil KB. Maximize farming productivity through Agriculture 4.0-based intelligence with Agri Tech Sense. In: 15th Int Conf Adv Comput Control Telecommun Technol (ACT); 2024. p. 5127–34.